




SOLENOİD BOBİN VERİLERİ SOLENOID COIL DATA 08 series




DOUBLE LEADS




SINGLE LEAD



HIRSCHMANN




CONDUIT(FEMALE:1/2-14 NPT)



Model:LC2-08-C*ER
Deutsch Connector
(Water-proof Coil)


TO ORDER




SOLENOİD BOBİN VERİLERİ

SOLENOID COIL DATA


08 series




SINGLE LEAD




Model:LC9-08-S*DR
DEUTSCH CONNECTOR




DOUBLE SPADE



DOUBLE LEADS




HIRSCHMANN



Model:LC2-08-S*E
Single Stud
8-32 Male Stud
With 2 Brass Nuts


TO ORDER




SOLENOİD BOBİN VERİLERİ

SOLENOID COIL DATA


10 series




TO ORDER



FARKLI BOYUTTA SOLENOİD BOBİN VERİLERİ OTHER SIZE SOLENOID COIL DATE



Model:LC-08-S-*H
HIRSCHMANN



Model:LC-08-S-*D
DOUBLE LEADS


TO ORDER

LEGENDV COIL
08 SERIES
S=SQUARE


LC - 08 - S - **

COIL CONNECTION
D = Double Lead
H = Hirschmann

VOLTAGE
1 = 12V Volt DC RED LEAD
2 = 24V Volt DC BLUE LEAD
3 = 110V Volt AC BLACK LEAD
4 = 220V Volt AC YELLOW LEAD
5 = 10V Volt AC GRAY LEAD



Model:LC3-10-C-*H
HIRSCHMAN



Model:LC3-10-C-*D
DOUBLE LEADS


TO ORDER

LEGENDV COIL
10 SERIES
C=CYLINDRICAL


LC3 - 10 - C - **

COIL CONNECTION
D = Double Lead
H = Hirschmann

VOLTAGE
1 = 12V Volt DC RED LEAD
2 = 24V Volt DC BLUE LEAD
3 = 110V Volt AC BLACK LEAD
4 = 220V Volt AC YELLOW LEAD



Model:LC6-08-S-*H
HIRSCHMAN



Model:LC6-08-S-*D
DOUBLE LEADS

TO ORDER

LEGENDV COIL
08 SERIES
S=SQUARE

LC6 - 08 - S - **

COIL CONNECTION
D = Double Lead
H = Hirschmann

VOLTAGE
1 = 12V Volt DC RED LEAD
2 = 24V Volt DC BLUE LEAD
3 = 110V Volt AC BLACK LEAD
4 = 220V Volt AC YELLOW LEAD